




THE GRAPHIC TILE
collection





THE GRAPHIC TILE
collection



20
Technical details

AMBITION



Ambition 83




70




73




90




74



80



78



76



83




77

Ambition 76

EMOTION



70



73



74



76



77

Emotion 74



ESSENTIAL



Essential 72



72



78

EVOLUTION



Evolution 70



74




77



70



78



76



Evolution 76

IMAGINATION



Imagination 77




73




80



83



74




77



70



90



78



76

Imagination 73

MARBLE



Marble 80



90



83



80




70



74



73



78



76



77



Marble 77

UNIQUE




Unique 80




80



83



70




77



76




90



73



74



78

Unique 77

VAPOUR



Vapour 80



83



80



70



74



73



78



76



77




Vapour 77

TECHNICAL DETAILS


	AMBITION	EMOTION	ESSENTIAL	EVOLUTION	IMAGINATION
Tuft gauge / Teilung Deling / Galga	1/10 loop pile				
Pilecomposition / Material Poolsamenstelling / Composición fibra	100% PA SDN				
Primary backing / Träger Poolsamenstelling / Backing Primario	Non Woven				
Secondary backing / Rückenausrüstung Rug / Acabado	Bitumen				
Dimensions / Abmessungen Dimensies / Dimensiones	50 x 50 cm ±1% 25 x 100 cm	50 x 50 cm ±1% Optional: 25 x 100 cm			
Pile height / Polhöhe Poolhoogte / Altura del hilo	3 mm	3 mm	3 mm	3 mm	3 mm
Pile density / Pol-Rohdichte Pooldichtheid / Densidad	0.137 gr/cm ³	0.126 gr/cm ³	0.174 gr/cm ³	0.111 gr/cm ³	0.152 gr/cm ³
Pile weight / Oberflächen-/Florgewicht Poolgewicht / Peso del hilo	785 gr/m ²	790 gr/m ²	650 gr/m ²	630 gr/m ²	740 gr/m ²
Total weight / Gesamtgewicht Totaal gewicht / Peso total	4540 gr/m ² ±15%	4545 gr/m ² ±15%	4395 gr/m ² ±15%	4380 gr/m ² ±15%	4500 gr/m ² ±15%
Total height / Totale Höhe/Gesamtdicke Totale hoogte / Altura total	5 mm	7 mm	6 mm	6 mm	6 mm
Number of knots / Noppenzahl Aantal noppen / Puntadas	259000 /m ² -7.5% .+10%	237600 /m ² -7.5% .+10%	237000 /m ² -7.5% .+10%	200971 /m ² -7.5% .+10%	240881 /m ² -7.5% .+10%
Use Area / Verwendungsbereich Gebruik zone / Área de Uso	Extrem/Heavy (33)				
Light fastness / Lichtechtheit Lichtechtheid / Solidez a la luz	≥ 5				
Wearebility / Reibechtheit Wrijfechtheid / Resistencia a la fricción	≥ 4				
Water fastness / Wasserechtheit Waterechtheid / Resistencia al agua	≥ 4				
Fire classification / Brandverhalten Brandclassificatie / Clasificación al fuego	Bfl-S1 1658-CPR-3134				
Pictures / Bilder Foto's / Pictures	www.condorcontract.com				
DOP code	C-003RBA215	C-003RBE112	C-003RBE113	C-003RBE111	C-003RBI041

	MARBLE	UNIQUE	VAPOUR
Tuft gauge / Teilung Deling / Galga	1/10 loop pile		
Pilecomposition / Material Poolsamenstelling / Composición fibra	100% PA SDN		
Primary backing / Träger Poolsamenstelling / Backing Primario	Non Woven		
Secondary backing / Rückenausrüstung Rug / Acabado	Bitumen		
Dimensions / Abmessungen Dimensies / Dimensiones	50 x 50 cm ±1% Optional: 25 x 100 cm		
Pile height / Polhöhe Poolhoogte / Altura del hilo	3 mm	3 mm	3 mm
Pile density / Pol-Rohdichte Pooldichtheid / Densidad	0.126 gr/cm ³	0.131 gr/cm ³	0.111 gr/cm ³
Pile weight / Oberflächen-/Florgewicht Poolgewicht / Peso del hilo	770 gr/m ²	720 gr/m ²	795 gr/m ²
Total weight / Gesamtgewicht Totaal gewicht / Peso total	4525 gr/m ² ±15%	4480 gr/m ² ±15%	4550 gr/m ² ±15%
Total height / Totale Höhe/Gesamtdicke Totale hoogte / Altura total	6 mm	6 mm	7 mm
Number of knots / Noppenzahl Aantal noppen / Puntadas	240379 /m ² -7.5% .+10%	240881 /m ² -7.5% .+10%	239792 /m ² -7.5% .+10%
Use Area / Verwendungsbereich Gebruik zone / Área de Uso	Extrem/Heavy (33)		
Light fastness / Lichtechtheit Lichtechtheid / Solidez a la luz	≥ 5		
Wearebility / Reibechtheit Wrijfechtheid / Resistencia a la fricción	≥ 4		
Water fastness / Wasserechtheit Waterechtheid / Resistencia al agua	≥ 4		
Fire classification / Brandverhalten Brandclassificatie / Clasificación al fuego	Bfl-S1 1658-CPR-3134		
Pictures / Bilder Foto's / Pictures	www.condorcontract.com		
DOP code	C-003RBM907	C-003RBU232	C-003RBV269



Quarter-turned

Monolithic



Ashlar

Brick



Scan for product images



THE GRAPHIC TILE

collection

Accuracies

This brochure may contain inaccuracies and errors. Even though we strive to prevent such inaccuracies, we do not warrant the accuracy or completeness of the content or reliability of any information distributed via this brochure. This brochure and its content are provided "as is" without any representation or warranty. We do not guarantee the fitness for use of the products as shown in the brochure. Also note that actual product colours may vary from colours shown in this brochure. Colours can be verified by ordering a sample from our website.



Condor Carpets bv
Randweg 14, 8061 RW
P.O. Box 21, 8060 AA
Hasselt, The Netherlands

T (+31) 38 477 89 11
F (+31) 38 477 89 22
E info@condorcarpets.nl
W www.condorcontract.com

WWW.CONDORCONTRACT.COM